

भारत का राजपत्र The Gazette of India

असधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 1454]

नई दिल्ली, मंगलवार, जुलाई 26, 2011/श्रावण 4, 1933

No. 1454]

NEW DELHI, TUESDAY, JULY 26, 2011/SRAVANA 4, 1933

रेल मंत्रालय

(रेलवे बोर्ड)

अधिसूचना

नई दिल्ली, 25 जुलाई, 2011

का.आ. 1744(अ).—केन्द्रीय सरकार, रेल अधिनियम, 1989 (1989 का 24) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 20क की उप-धारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, यह समाधान हो जाने के पश्चात् कि लोक प्रयोजन के लिए, वह भूमि, जिसका संक्षिप्त विवरण इससे उपाबद्ध अनुसूची में दिया गया है, महाराष्ट्र राज्य के ठाणे जिले में विशेष रेल परियोजना, अर्थात्, वेस्टर्न डेडीकेटेड फ्रेट कॉरिडोर के निष्पादन, अनुरक्षण, प्रबंध और प्रचालन के प्रयोजन के लिए अपेक्षित है, ऐसी भूमि का अर्जन करने के अपने आशय की घोषणा करती है;

उक्त भूमि में हितबद्ध कोई व्यक्ति, इस अधिसूचना के राजपत्र में प्रकाशन की तारीख से तीस दिन की अवधि के भीतर, उक्त अधिनियम की धारा 20घ की उप-धारा (1) के अधीन पूर्वोक्त प्रयोजन के लिए ऐसी भूमि के अर्जन और उपयोग के संबंध में आक्षेप कर सकेगा;

प्रत्येक ऐसा आक्षेप, सक्षम प्राधिकारी अर्थात्, उप-कलेक्टर (भूमि अर्जन), सूर्य प्रकल्प, दहाणु, ठाणे, महाराष्ट्र को लिखित में किया जाएगा और उसमें उसके आधार उपवर्णित होंगे और सक्षम प्राधिकारी, आक्षेपकर्ता को या तो वैयक्तिक रूप से या विधि व्यवसायी के माध्यम से सुनवाई का अवसर प्रदान करेगा और सभी ऐसे आक्षेपों की सुनवाई करेगा तथा ऐसी और जांच, यदि कोई हो, करने के पश्चात्, जिसे सक्षम प्राधिकारी आवश्यक समझे, आदेश द्वारा, या तो आक्षेपों को अनुज्ञात या अनुज्ञात कर सकेगा;

उक्त अधिनियम की धारा 20घ की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अंतिम होगा;

इस अधिसूचना के अधीन आने वाली भूमि का रेखांक और अन्य ब्यौरे उपलब्ध हैं और हितबद्ध व्यक्ति द्वारा सक्षम प्राधिकारी के पूर्वोक्त कार्यालय में उनका निरीक्षण किया जा सकता है।

अनुसूची

महाराष्ट्र राज्य में विशेष रेल परियोजना पश्चिमी समर्पित मालभाड़ा कारीडोर के लिए अर्जित की जाने वाली भूमि का संरचना सहित या उसके बिना संक्षिप्त विवरण .

जिला :- धाने

| क्रम सं. | तहसील | गांव का नाम | सर्वे नम्बर | सर्वे नम्बर | क्षेत्रफल हेक्टर में |
|----------|--------|------------------|----------------|---------------|-------------------------|
| | | | पुराना | नया | |
| 1 | 2 | 3 | 4 | 5 | 6 |
| 1 | कल्याण | 1. जुनी डोंबिवली | 100 | 87/6 पार्ट | 0.0230 |
| | | | 100 | 87/7व | 0.0110 |
| | | | 100 | 87/7क | 0.0200 |
| | | | 99 | 65/3 | 0.0330 |
| | | | 99 | 65/5अ | 0.0100 |
| | | | 99 | 65/5व पार्ट | 0.0050 |
| | | | 99 | 65/5क पार्ट | 0.0010 |
| | | | 10 | 21/1 | 0.0160 |
| | | | 10 | 21/2अ | 0.0120 |
| | | | 64 | 41/1 पार्ट | 0.0230 |
| | | 2. नवागाव | 299 | 206/2 | 0.0300 |
| | | 3. गावदेवी | 360/13 पार्ट | 90/13 पार्ट | 0.0270 |
| | | | 360/28 पार्ट | 90/28 पार्ट | 0.0140 |
| | | | 360/27 पार्ट | 90/27 पार्ट | 0.0130 |
| | | | 360/26 पार्ट | 90/26 पार्ट | 0.0110 |
| | | | 360/18/ड पार्ट | 90/18/ड पार्ट | 0.0280 |
| | | | 360/19/इ पार्ट | 90/19/इ पार्ट | 0.0100 |
| | | | 360/19/व पार्ट | 90/19/व पार्ट | 0.0120 |
| | | | 360/20 पार्ट | 90/20 पार्ट | 0.0110 |
| | | | 360/1/व पार्ट | 90/1/व पार्ट | 0.0080 |
| | | | 360/1/अ पार्ट | 90/1/अ पार्ट | 0.0180 |
| | | | 359/14/8 पार्ट | 1/14/8 पार्ट | 0.0140 |
| | | | 359/14/3 पार्ट | 1/14/3 पार्ट | 0.0070 |
| | | | 359/13/अ पार्ट | 1/13/अ पार्ट | 0.0340 |
| | | | 359/13/व पार्ट | 1/13/व पार्ट | 0.0170 |
| | | | 15/1 पार्ट | 2/1 पार्ट | 0.0060 |
| | | | 359/22 पार्ट | 1/22 पार्ट | 0.0530 |
| | | | 359/21 पार्ट | 1/21 पार्ट | 0.0200 |
| | | | 359/20 पार्ट | 1/20 पार्ट | 0.0200 |
| | | | 359/3/अ पार्ट | 1/3/अ पार्ट | 0.0370 |
| | | | 358/20 पार्ट | 5/20 पार्ट | 0.0200 |
| | | | 358/18 पार्ट | 5/18 पार्ट | 0.0010 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|--------|-----------|------------------|---|--------|
| 2 | भिवंडी | 1. ओवली | 73/4अ पार्ट | | 0.0550 |
| | | 2. रहानाल | 119/3 पार्ट/1 | | 0.1230 |
| | | | 119/2 पार्ट/1 | | 0.1180 |
| | | | 105 | | 0.1890 |
| | | | 87/2/1/1 पार्ट | | 0.0690 |
| | | | 87/2/1/1 पार्ट 1 | | 0.0860 |
| | | | 112 | | 0.0477 |
| | | | 111 | | 0.0478 |
| | | | 213 | | 0.0109 |
| | | | 114 | | 0.0526 |
| | | 3. कालवार | 97/19अ पार्ट | | 0.4810 |
| | | | 8/1अ पार्ट | | 0.0580 |
| | | | 12/1 पार्ट | | 0.0180 |
| | | | 130 पार्ट | | 0.0850 |
| | | | 13 पार्ट | | 0.0060 |
| | | | 45/8/7 पार्ट | | 0.0580 |
| | | | 45/1 अ पार्ट | | 0.0820 |
| | | | 45/1 क पार्ट | | |
| | | | 45/2 | | 0.0860 |
| | | | 45/3ब पार्ट | | 0.0370 |
| | | | 49/1अ | | 0.0720 |
| | | | 49/2अ | | 0.0750 |
| | | | 49/3 | | 0.0240 |
| | | | 49/7 पार्ट | | 0.0850 |
| | | | 49/4 पार्ट | | 0.0400 |
| | | | 49/14 पार्ट | | 0.0380 |
| | | | 72/1अ पार्ट | | 0.0050 |
| | | | 72/2अ पार्ट | | 0.0470 |
| | | | 72/5 अ पार्ट | | 0.0180 |
| | | | 50/9 पार्ट | | 0.0140 |
| | | | 71/1 पार्ट | | 0.0310 |
| | | | 72/15अ 10अ पार्ट | | 0.0570 |
| | | | 72/11अ पार्ट | | 0.0220 |
| | | | 83/1 3 2 2 पार्ट | | 0.0070 |
| | | | 83/1 2 2 3 पार्ट | | 0.0210 |
| | | | 83/1 3 2 2 पार्ट | | 0.0390 |
| | | | 83/1/4 पार्ट | | 0.0020 |
| | | | 83/6 पार्ट | | 0.0010 |
| | | | 84/7 पार्ट | | 0.0340 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|------------|---|-----------------|---|--------|
| | | | 85/1/1अ/1 पार्ट | | 0.0510 |
| | | | 85/1/1ब/1 पार्ट | | 0.0060 |
| | | | 85/11 पार्ट | | 0.0100 |
| | | | 85/13 अ पार्ट | | 0.0200 |
| | | | 85/14 पार्ट | | 0.0030 |
| | | | 86/2अ पार्ट | | 0.0480 |
| | | | 86/8अ पार्ट | | 0.0110 |
| | | | 89/1 पार्ट | | 0.0070 |
| | | | 89/2अ पार्ट | | 0.0300 |
| | | | 89/4अ पार्ट | | 0.0240 |
| | | | 91 अ पार्ट | | 0.0090 |
| | | | 93/8 ब पार्ट | | 0.0360 |
| | | | 93/12अ पार्ट | | 0.0230 |
| | | | 93/13अ पार्ट | | 0.0190 |
| | | | 131 पार्ट | | 0.1100 |
| | | | 100/1अ पार्ट | | 0.0110 |
| | | | 100/2अ पार्ट | | 0.0220 |
| | | | 100/6अ पार्ट | | 0.0010 |
| | | | 100/9अ पार्ट | | 0.0240 |
| | | | 100/14अ पार्ट | | 0.0190 |
| | | | 97/19 अ पार्ट | | 0.4310 |
| | 4. वडघर | | 12/4 पार्ट | | 0.0500 |
| | | | 12/9 पार्ट | | 0.0310 |
| | | | 12/3 पार्ट | | 0.2030 |
| | | | 12/10 पार्ट | | 0.0670 |
| | | | 12/11 पार्ट | | 0.0220 |
| | | | 12/8 पार्ट | | 0.0310 |
| | | | 12/12/1 पार्ट | | 0.0670 |
| | | | 24/7 पार्ट | | 0.0780 |
| | | | 24/8 पार्ट | | 0.0200 |
| | | | 24/9 पार्ट | | 0.0070 |
| | | | 24/1 पार्ट | | 0.0230 |
| | | | 24/16 पार्ट | | 0.0140 |
| | | | 24/17 पार्ट | | 0.0600 |
| | | | 22/2 पार्ट | | 0.0750 |
| | | | 41 पार्ट | | 0.0390 |
| | 5. वडुनलघर | | 303 पार्ट | | 0.1245 |
| | | | 302 पार्ट | | 0.1503 |
| | | | 305 पार्ट | | 0.3045 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|-----|----------------|--------------|---|--------|
| | | | 18 पार्ट | | 0.1244 |
| | | | 20 | | 1.6911 |
| 3 | वसई | 1. नागले | 51/1 | | 1.0829 |
| | | | 51/2 | | 0.0913 |
| | | | 51/3 | | 0.0161 |
| | | | 51/4 | | 0.1685 |
| | | | 46/4 | | 0.2370 |
| | | | 44/1 | | 0.0390 |
| | | | 44/3 | | 0.1081 |
| | | | 31/1 | | 0.1443 |
| | | | 31/4 | | 0.1011 |
| | | | 31/5 | | 0.1612 |
| | | | 35/2 | | 0.0815 |
| | | | 35/1/7 | | 0.1686 |
| | | | 35/1/5 | | 0.1645 |
| | | | 35/1/4 | | 0.1046 |
| | | | 36/5 | | 0.0412 |
| | | | 36/2 | | 0.0214 |
| | | | 37 | | 0.4149 |
| | | | 43 | | 0.3148 |
| | | | 38/6 | | 0.0109 |
| | | | 38/5 | | 0.0929 |
| | | | 38/3 | | 0.2146 |
| | | | 38/4 | | 0.0585 |
| | | | 38/2 | | 0.1663 |
| | | | 38/1 | | 0.0293 |
| | | 2. शिलोत्तर | 4 पार्ट | | 0.0280 |
| | | | 1 पार्ट | | 0.0450 |
| | | | 21 पार्ट | | 0.1560 |
| | | 3. ससुनवधर | 31/1 पार्ट | | 0.1870 |
| | | | 29 पार्ट | | 0.1320 |
| | | | 29 पार्ट | | 0.2080 |
| | | | 32/2 पार्ट | | 0.3150 |
| | | | 40/13अ पार्ट | | 0.7610 |
| | | | 43 पार्ट | | 0.0300 |
| | | 4. सारजाप्पोरी | 93/1 पार्ट | | 0.0347 |
| | | | 94/13अ पार्ट | | 0.1425 |
| | | | 95/3 पार्ट | | 0.0322 |
| | | | 95/7/1 पार्ट | | 0.0037 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---------------|---------------|---------------|--------|
| | | | 95/10/2 पार्ट | | 0.0111 |
| | | | 97 पार्ट | | 0.2934 |
| | | 5. मोरी | 23 पार्ट | | 0.0360 |
| | | | 24/2 पार्ट | | 0.4380 |
| | | | 50 पार्ट | | 0.0020 |
| | | | 47 पार्ट | | 0.0630 |
| | | | 52/3 पार्ट | | 0.0050 |
| | | | 53/2 पार्ट | | 0.0340 |
| | | | 51 पार्ट | | 0.0170 |
| | | | 59/22 पार्ट | | 0.3440 |
| | | | 59/8 पार्ट | | 0.0990 |
| | | | 59/5 पार्ट | | 0.1860 |
| | | | 59/7 पार्ट | | 0.3080 |
| | | | 59/11 पार्ट | | 0.0250 |
| | | | 59/6 पार्ट | | 0.0130 |
| | | | 63 पार्ट | | 0.0420 |
| | | | 64/2 पार्ट | | 0.0630 |
| | | | 64/3पार्ट | | 0.1010 |
| | | | 64/5पार्ट | | 0.2560 |
| | | | 65/2 पार्ट | | 0.0660 |
| | | | 65/3 पार्ट | | 0.2700 |
| | | 6. जुचंद्र | 406 पार्ट | 14/4 अ पार्ट | 0.0580 |
| | | | 404 पार्ट | 17/4 अ पार्ट | 0.0600 |
| | | | 405 पार्ट | 16/10/1 पार्ट | 0.0470 |
| | | 7. चंद्रापाडा | 376/1/2 पार्ट | 104/1 पार्ट | 0.0760 |
| | | | 377/5 पार्ट | 103/5 अ पार्ट | 0.3060 |
| | | | 378/1 पार्ट | 94/1 पार्ट | 0.0290 |
| | | | 378/1 पार्ट | 94/1 व पार्ट | 0.0890 |
| | | | 378/3 पार्ट | 94/3 पार्ट | 0.1080 |
| | | | 378/2 पार्ट | 94/2 पार्ट | 0.0330 |
| | | | 379/4/1 पार्ट | 89/4/1 पार्ट | 0.1540 |
| | | | 379/2 पार्ट | 89/2 पार्ट | 0.0190 |
| | | | 379/5/1 पार्ट | 89/5/1 पार्ट | 0.0370 |
| | | | 379/9 पार्ट | 89/9 पार्ट | 0.0150 |
| | | | 379/10 पार्ट | 89/10 पार्ट | 0.0400 |
| | | | 379/7 पार्ट | 89/7 पार्ट | 0.0190 |
| | | | 379/8 पार्ट | 89/8 पार्ट | 0.0460 |
| | | | 368 पार्ट | 88/1 पार्ट | 0.0010 |
| | | | 367/2 पार्ट | 90/2 अ पार्ट | 0.2330 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|-----------|------------------|---------------|--------|
| | | | 365/1 पार्ट | 83/1 पार्ट | 0.0100 |
| | | | 365/2 पार्ट | 83/2 अ पार्ट | 0.0220 |
| | | | 365/6 पार्ट | 83/6 अ पार्ट | 0.1140 |
| | | | 370 पार्ट | 73/ अ पार्ट | 0.0670 |
| | | | 354/7 पार्ट | 62/7 पार्ट | 0.0160 |
| | | | 354/8 पार्ट | 62/3 अ पार्ट | 0.0730 |
| | | | 354/11 पार्ट | 62/11 अ पार्ट | 0.1010 |
| | | | 354/9 पार्ट | 62/9 पार्ट | 0.0980 |
| | | | 354/8 पार्ट | 62/8 पार्ट | 0.0630 |
| | | | 354/10 पार्ट | 62/10 पार्ट | 0.0060 |
| | | | 353/4 पार्ट | 63/4 पार्ट | 0.0010 |
| | | | 353/6 पार्ट | 63/6 अ पार्ट | 0.1850 |
| | | | 353/7 पार्ट | 63/7 अ पार्ट | 0.0150 |
| | | | 525/4 पार्ट | 49/4 अ पार्ट | 0.0930 |
| | | | 527 पार्ट | 39/1 पार्ट | 0.0700 |
| | | | 528/1 पार्ट | 40/1 अ पार्ट | 0.0120 |
| | | | 513/8 पार्ट | 23/8 अ पार्ट | 0.0360 |
| | | | 513/9 पार्ट | 23/9 अ पार्ट | 0.0010 |
| | | | 514/15 पार्ट | 24/15 अ पार्ट | 0.0250 |
| | | | 514/10 पार्ट | 24/10/1 पार्ट | 0.0210 |
| | | | 514/8 पार्ट | 24/8 पार्ट | 0.0050 |
| | | | 514/9 पार्ट | 24/9 अ पार्ट | 0.0260 |
| | | | 456 पार्ट | 189/1/1 पार्ट | 0.0200 |
| | | 8. शिरगाव | 402,272, 268,850 | | 4.0053 |
| | | | 305 | | 1.2212 |
| | | | 304 | | 1.1293 |
| | | | 294 | | 1.1010 |
| | | | 298 | | 0.9798 |
| | | | 303 | | 0.0232 |
| | | | 297 | | 0.7377 |
| | | | 260 | | 0.0511 |
| | | | 252 | | 0.7682 |
| | | | 250 | | 0.6577 |
| | | | 249 | | 0.0162 |
| | | | 291 | | 0.2243 |
| | | | 247 | | 0.0188 |
| | | | 242 | | 0.0127 |
| | | | 245 | | 0.2641 |
| | | | 268 | | 0.3499 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|-------|-----------------|----------|---|--------|
| | | | 243 | | 0.3814 |
| | | | 244 | | 0.0332 |
| | | | 243, 240 | | 0.1339 |
| | | | 240 | | 0.3861 |
| | | | 241 | | 0.0210 |
| | | | 239 | | 0.3418 |
| | | | 300 क | | 0.1928 |
| | | | 238 व | | 0.2219 |
| | | | 236 | | 0.3338 |
| | | | 237 | | 0.2011 |
| | | | 233 | | 0.4962 |
| | | | 190 | | 0.6150 |
| | | | 192 | | 0.6035 |
| | | | 194 | | 0.0988 |
| | | | 193 | | 0.3929 |
| | | | 367 | | 0.2032 |
| | | | 182 | | 0.6887 |
| | | | 179 | | 0.4683 |
| | | | 178 | | 0.1251 |
| | | | 176 | | 0.4956 |
| | | | 173 | | 0.2877 |
| | | | 172 | | 0.4508 |
| | | | 406 | | 0.0789 |
| | | | 150 | | 0.7378 |
| | | | 10 | | 0.0119 |
| | | | 409 | | 0.5093 |
| | | | 137 | | 0.3927 |
| | | | 347 | | 0.1488 |
| | | | 135 | | 0.5018 |
| | | | 134 | | 0.0729 |
| | | | 133 | | 0.5371 |
| | | | 132 | | 0.3672 |
| | | | 129 | | 0.8179 |
| | | | 398, 129 | | 0.1561 |
| | | | 322 | | 0.2475 |
| | | | 345 | | 0.1055 |
| | | | 398 | | 1.1885 |
| 4 | पालघर | 1. वाढीव सरावली | 316 | | 0.0200 |
| | | | 279 | | 0.0010 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|------------|---|------------|---|--------|
| | | | 280 | | 0.0020 |
| | | | 280 | | 0.0020 |
| | | | 281 | | 0.0010 |
| | | | 282 | | 0.0010 |
| | 2. गीठनपुर | | 20 | | 0.0440 |
| | | | 21 | | 0.0040 |
| | | | 20/1 | | 0.2110 |
| | | | 20/2/1 | | |
| | | | 20/2/2 | | |
| | | | 20/2/3 | | |
| | | | 20/2/4 | | |
| | | | 20/2/5 | | |
| | | | 20/3 | | |
| | | | 20/4 | | |
| | | | 20/5 | | |
| | | | 20/6 | | |
| | | | 20/7 | | |
| | | | 20/8/1 | | |
| | | | 20/8/2 | | |
| | | | 20/9 | | |
| | | | 20/10 | | |
| | | | 20/11 पट्ट | | |
| | | | 20/12 | | |
| | | | 20/13 पट्ट | | |
| | | | 20/14 पट्ट | | |
| | | | 20/14 पट्ट | | |
| | | | 20/15 | | |
| | | | 20/16 | | |
| | | | 20/17/1 | | |
| | | | 20/17/2 | | |
| | | | 20/17/3 | | |
| | | | 20/17/4 | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|----------------|----------|-------|--------|
| | | | 39/17/5 | | |
| | | | 35/1 | | 0.5940 |
| | | | 35/2 | | |
| | | | 35/3/1 | | |
| | | | 35/3 | | |
| | | | 35/4 | | |
| | | | 35/5 | | |
| | | | 35/8 | | |
| | | | 35/9/1 | | |
| | | 3. बिरवाडी | 63/ | | 0.0625 |
| | | | 52/1 | | 0.0750 |
| | | | 52/2 | | |
| | | | 41/1 | | 0.1050 |
| | | | 41/2 | | |
| | | | 41/3 | | |
| | | | 41/4 | | |
| | | | 41/5 | | |
| | | | 51/ | | 0.0440 |
| | | | 50/1 | | 0.0550 |
| | | | 50/2 | | |
| | | | 48/ | | 0.0170 |
| | | | 113/ | | 0.1970 |
| | | | 114/ | | 0.0530 |
| | | 4. पांचाली | 340 | | 0.2594 |
| | | | 341 | | 0.0996 |
| | | | 342/अ | | 0.1339 |
| | | | 342/ब | | |
| | | | 342/क | | |
| | | 5. रानी शिनगाव | 80 | 26 | 0.3570 |
| | | | 79 पार्ट | 22 | 0.1880 |
| | | | 78 पार्ट | 21 | 0.3740 |
| | | | 71/1/1 | 7/1/1 | 0.1940 |
| | | | 71/2 | 7/2 | 0.0120 |
| | | | 71/1/9 | 7/1/9 | 0.0930 |
| | | | 116 | 6 | 0.0820 |
| | | | 69/1 | 5/1 | 0.1160 |
| | | | 110/2 | 63 | 0.2030 |
| | | | 110/3 | 68 | 0.1050 |
| | | | 110/4 | 64 | 0.0740 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|-------|-----------|--------------------|------|--------|
| | | | 109/1 | 55/1 | 0.1120 |
| | | | 109/2 | 55/2 | 0.1620 |
| | | | 109/5 | 55/5 | 0.0870 |
| | | | 108/1 | 53/1 | 0.1290 |
| | | | 108/2 | 53/2 | 0.1690 |
| | | | 108/4 | 53/4 | 0.1780 |
| | | | 108/5 | 53/5 | 0.0040 |
| 5 | दहानू | 1. बानगाव | 12 | | 0.2610 |
| | | | 12/1 पट्टे | | 0.1814 |
| | | | 8/1, 8/3, 8/5, 8/8 | | 0.2480 |
| | | | 8/7, 8/9 | | 0.0750 |
| | | | 8/2, 8/4, 8/6 | | 0.2075 |
| | | | 82/1 | | 0.0690 |
| | | | 82/2 | | 0.0820 |
| | | | 70/2 | | 0.1090 |
| | | | 92 पट्टे | | 0.1275 |
| | | | 92 पट्टे | | 0.0800 |
| | | | 92 पट्टे | | 0.1484 |
| | | 2. आगवन | 405 पट्टे | | 0.7500 |
| | | | 400 पट्टे | | 0.4100 |
| | | | 401 पट्टे | | 0.1700 |
| | | | 402 पट्टे | | 0.3220 |
| | | | 404 पट्टे | | 0.0770 |
| | | | 399 पट्टे | | 0.0160 |
| | | | 392/2 पट्टे | | 0.1350 |
| | | | 392/3 पट्टे | | 0.3140 |
| | | | 398 पट्टे | | 0.3350 |
| | | | 395 पट्टे | | 0.1280 |
| | | | 396 | | 0.0200 |
| | | | 389 पट्टे | | 0.2580 |
| | | | 390 पट्टे | | 0.1390 |
| | | | 388 पट्टे | | 0.0600 |
| | | | 382 पट्टे | | 0.2890 |
| | | | 381 पट्टे | | 0.4050 |
| | | | 380 पट्टे | | 0.4510 |
| | | | 379 पट्टे | | 0.1730 |
| | | | 316 पट्टे | | 1.5430 |
| | | | 316 पट्टे | | 0.0840 |
| | | 3. सरावली | 19/1 | | 0.1920 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---------|---|--------|
| | | | 19/1/2 | | 0.2106 |
| | | | 19/1/3 | | 1.3380 |
| | | | 19/1/4 | | |
| | | | 19/3/1 | | 0.6040 |
| | | | 19/3/2 | | 0.3150 |
| | | | 29/4 | | 0.0080 |
| | | | 30/1 | | 0.0180 |
| | | | 30/2 | | 0.0890 |
| | | | 30/6 | | 0.2890 |
| | | | 30/1/4 | | 0.2090 |
| | | | 31/1 | | 0.1020 |
| | | | 31/2 | | 0.3660 |
| | | | 31/3 | | 0.1020 |
| | | | 17/11 | | 0.0290 |
| | | | 17/7 | | 0.0410 |
| | | | 17/2 | | 0.0210 |
| | | | 18/1 | | 0.1240 |
| | | | 18/2 | | 0.2120 |
| | | | 18/8 | | 0.0260 |
| | | | 18/5 | | 0.3950 |
| | | | 18/7 | | 0.0230 |
| | | | 7 | | 2.1680 |
| | | | 8 | | 0.0070 |
| | | | 6 | | 0.9870 |
| | | | 6 | | 1.8350 |
| | | | 6 पार्ट | | |
| | | | 99 | | 0.2130 |
| | | | 98 | | 0.0650 |
| | | | 100 | | 0.8140 |
| | | | 102/1 | | 0.1100 |
| | | | 102/2 | | |
| | | | 102/3 | | |
| | | | 103 | | 0.1680 |
| | | | 90/17 | | 0.8850 |
| | | | 90/12 | | |
| | | | 90/10 | | |
| | | | 90/8 | | |
| | | | 90/11 | | |
| | | | 90/15 | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---------------|---|------------|---|--------|
| | | | 90/16 | | |
| | | | 90/18 | | |
| | | | 90/9 | | |
| | | | 90/13 | | |
| | 4. पाटीलपाडा | | 47 | | 0.8090 |
| | | | 48 | | 0.1150 |
| | | | 51/1/5 | | 0.2800 |
| | | | 51/1/25 | | 0.1750 |
| | | | 51/1/22 | | 0.1480 |
| | | | 51/1/24 | | 0.8890 |
| | | | 51/1 | | 0.7830 |
| | | | 51/2 | | 0.2400 |
| | | | 51/3 | | 1.6800 |
| | | | 51/4 | | 0.0750 |
| | | | 51/1 | | 0.0060 |
| | | | 52/1 | | 0.2790 |
| | | | 52/2 | | 0.2370 |
| | | | 52/5 | | 0.6180 |
| | | | 52/4/1 | | 0.5250 |
| | | | 52/3 | | 0.4760 |
| | | | 52/2 | | 0.8590 |
| | | | 54/1 | | 0.0960 |
| | | | 54/3 | | 1.7640 |
| | | | 55/1 पार्ट | | 0.1410 |
| | | | 54/3 | | 0.0070 |
| | 5. मनफोड | | 11/3 | | 0.2040 |
| | | | 11/1 | | 0.0550 |
| | 6. जुन्नरपाडा | | 113 पार्ट | | 0.1280 |
| | | | 113 पार्ट | | 0.0087 |
| | | | 113 | | 0.2570 |
| | | | 14 | | 0.6320 |
| | | | 14/13 | | 0.0495 |
| | | | 143 पार्ट | | 0.9280 |
| | | | 136 | | 0.2560 |
| | | | 135/5 | | 0.7110 |
| | | | 29/1 | | |
| | | | 29 | | 1.5370 |
| | | | 29/1/9 | | |
| | | | 29/1 पार्ट | | |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|------------|------------|---|--------|
| | | | 29/1 पार्ट | | |
| | | | 29/1 पार्ट | | |
| | | | 28/2 | | 0.0760 |
| | | | 21/1 | | 0.0060 |
| | | | 21/2 | | 0.0250 |
| | | | 25/1/1 | | 2.7610 |
| | | | 25/1/14 | | |
| | | | 25/1/3 | | |
| | | | 25/1/1 | | |
| | | | 27/6 | | 0.0936 |
| | | | 27/5 | | 0.0044 |
| | | 7. नांदोरे | 19 | | 0.1160 |
| | | | 21 | | 0.0010 |
| | | | 20 | | 0.0260 |
| | | | 18 | | 0.1800 |
| | | | 17 | | 0.4060 |
| | | | 15 | | 0.0830 |
| | | | 14 | | 0.2040 |
| | | | 13 | | 0.0870 |
| | | | 12 | | 0.0840 |
| | | | 36/1 | | 1.2010 |
| | | | 8 | | 0.5350 |
| | | | 7 | | 0.2010 |
| | | | 57 | | 0.0120 |
| | | | 60 | | 0.5180 |
| | | | 6 | | 0.1460 |
| | | | 5 | | 0.1350 |
| | | | 61 | | 0.4370 |
| | | | 59 | | 0.0080 |
| | | | 1/1 | | 0.6120 |
| | | | 4 | | 0.0170 |
| | | 8. दहानू | 134/4/1 | | 0.4300 |
| | | | 134/4/2 | | 0.0820 |
| | | 9. कसारा | 194 पार्ट | | 0.1100 |
| | | | 192 पार्ट | | 0.7710 |
| | | | 193 पार्ट | | 0.3600 |
| | | | 190 पार्ट | | 0.1280 |
| | | | 191 पार्ट | | 0.5500 |
| | | | 180 पार्ट | | 0.6800 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|--------------|---|--------|
| | | | 174 पार्ट | | 0.1500 |
| | | | 177 पार्ट | | 0.3320 |
| | | | 178 पार्ट | | 0.0960 |
| | | | 176 पार्ट | | 0.0150 |
| | | | 175 पार्ट | | 0.0260 |
| | | | 124 पार्ट | | 0.0250 |
| | | | 120 पार्ट | | 0.0320 |
| | | | 118 पार्ट | | 0.0780 |
| | | | 118/3 पार्ट | | 0.2670 |
| | | | 119 | | 0.2320 |
| | | | 122 | | 0.0500 |
| | | | 121 पार्ट | | 0.5000 |
| | | | 122 पार्ट | | 0.0050 |
| | | | 99/अ पार्ट | | 0.0770 |
| | | | 99/ब/1 पार्ट | | 0.4530 |
| | | | 99/क/2 पार्ट | | 0.1810 |
| | | | 99/ड/3 पार्ट | | 0.0700 |
| | | | 103 पार्ट | | 0.1010 |
| | | | 111 पार्ट | | 0.0360 |
| | | | 104 पार्ट | | 0.1300 |
| | | | 102 पार्ट | | 0.1040 |
| | | | 101 पार्ट | | 0.0870 |
| | | | 100 पार्ट | | 0.3860 |
| | | | 107 पार्ट | | 0.0150 |
| | | | 105 पार्ट | | 0.2590 |
| | | | 98 | | 0.1400 |
| | | | 97 पार्ट | | 0.0920 |
| | | | 278 | | 0.5300 |
| | | | 92 पार्ट | | 0.0200 |
| | | | 94 पार्ट | | 0.0770 |
| | | | 91 पार्ट | | 0.2000 |
| | | | 90 | | 0.2200 |
| | | | 280 पार्ट | | 0.0630 |
| | | | 89 पार्ट | | 0.2000 |
| | | | 81 | | 0.0900 |
| | | | 88 पार्ट | | 0.1930 |
| | | | 82 पार्ट | | 0.1990 |
| | | | 83 | | 0.1320 |
| | | | 70/1/1अ | | 0.2300 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|----------|---|---------------|---|--------|
| | | | 70/1/2ख पार्ट | | 0.0450 |
| | | | 84 पार्ट | | 0.1410 |
| | | | 85 पार्ट | | 0.0370 |
| | | | 68 पार्ट | | 0.0230 |
| | | | 69 पार्ट | | 0.1980 |
| | | | 66 पार्ट | | 0.1470 |
| | | | 67 पार्ट | | 0.2270 |
| | | | 296 पार्ट | | 0.2550 |
| | | | 30 पार्ट | | 0.1800 |
| | | | 5 पार्ट | | 0.3620 |
| | | | 6 पार्ट | | 0.0760 |
| | | | 28 पार्ट | | 0.0320 |
| | | | 27 पार्ट | | 0.0770 |
| | | | 25 पार्ट | | 0.0200 |
| | | | 26 | | 0.0800 |
| | | | 16 पार्ट | | 0.2070 |
| | | | 15 पार्ट | | 0.0170 |
| | | | 14 पार्ट | | 0.2460 |
| | | | 18 पार्ट | | 0.0300 |
| | | | 17 पार्ट | | 0.1550 |
| | | | 2 पार्ट | | 0.2130 |
| | | | 1 पार्ट | | 0.1430 |
| | | | 31 पार्ट | | 0.1890 |
| | | | 3 | | 0.1870 |
| | | | 4 पार्ट | | 0.2190 |
| | 10. बाकी | | 446/अ | | 0.0980 |
| | | | 450/इ पार्ट | | 0.1110 |
| | | | 449/इ पार्ट | | 0.0670 |
| | | | 440/अ | | 0.6540 |
| | | | 440/अ पार्ट | | 0.0900 |
| | | | 440/ब पार्ट | | 0.1200 |
| | | | 440/अ पार्ट | | 0.2460 |
| | | | 445/अ पार्ट | | 0.8460 |
| | | | 445/अ पार्ट | | 0.1660 |
| | | | 442/अ पार्ट | | 0.0670 |
| | | | 407 पार्ट | | 0.6180 |
| | | | 406/अ पार्ट | | 0.2200 |
| | | | 372/अ पार्ट | | 0.0390 |
| | | | 403/अ पार्ट | | 0.5040 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|-------------|-------------|---|--------|
| | | | 422/इ पार्ट | | 0.0070 |
| | | | 409/इ पार्ट | | 0.0200 |
| | | | 408/इ पार्ट | | 0.0150 |
| | | | 410/इ पार्ट | | 0.0330 |
| | | | 411/इ पार्ट | | 0.0030 |
| | | | 401/इ पार्ट | | 0.3790 |
| | | | 399/इ पार्ट | | 0.3980 |
| | | | 399/इ पार्ट | | 0.1230 |
| | | | 399/इ पार्ट | | 0.0700 |
| | | | 399/इ पार्ट | | 0.0850 |
| | | | 399 पार्ट | | 0.0510 |
| | | | 399 पार्ट | | 0.1100 |
| | | | 385/इ पार्ट | | 0.0360 |
| | | | 189/अ पार्ट | | 0.1370 |
| | | | 187/इ पार्ट | | 1.1900 |
| | | | 188/इ पार्ट | | 0.0230 |
| | | 11. आयेवाडी | 40/1/1 | | 0.1850 |
| | | | 43 | | 0.0700 |
| | | | 44 | | 0.0600 |
| | | | 45 | | 0.1060 |
| | | | 46 | | 0.0650 |
| | | | 50 | | 0.0870 |
| | | | 59 | | 0.0840 |
| | | | 61 | | 0.6380 |
| | | | 72/9/1 | | 0.0880 |
| | | | 72/9/1/1 | | 0.2240 |
| | | | 72/9/1/8 | | 0.1250 |
| | | | 73/10/2/1 | | 0.3280 |
| | | | 77/1/2 | | 0.1100 |
| | | | 77/1/3 | | 0.2590 |
| | | | 77/1/4, 1/6 | | 0.1210 |
| | | | 77/1/1 | | 0.4180 |
| | | | 77/4 | | 0.8370 |
| | | | 75/4 | | 0.3550 |
| | | | 75/6/2/1 | | 0.7290 |
| | | | 75/6/2/2 | | 0.0670 |

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|----------|---|--------|
| | | | 75/6/2/3 | | 0.1980 |
| | | | 75/6/2/4 | | 0.1140 |
| | | | 75/6/1 | | 0.1020 |

[फा. सं. 2010/एलएमएल/12/4-वेस्टर्न कॉरीडोर]

जगदीप राय, कार्यकारी निदेशक (भूमि और सुविधाएं-1)

MINISTRY OF RAILWAYS

(RAILWAY BOARD)

NOTIFICATION

New Delhi, the 25th July, 2011

S.O. 1744(E).— In exercise of the powers conferred by sub-section (1) of section 20A of the Railways Act, 1989 (24 of 1989) (hereinafter referred to as the said Act), the Central Government, after being satisfied that for the public purpose, the land, the brief description of which has given in the Schedule annexed hereto, is required for the purpose of execution, maintenance, management and operation of the Special Railway Project, namely, Western Dedicated Freight Corridor in the district of Thane in the State of Maharashtra, hereby declares its intention to acquire such land.

Any person interested in the said land may, within a period of thirty days from the date of publication of this notification in the Official Gazette, raise objection to the acquisition and use of such land for the aforesaid purpose under sub-section (1) of section 20D of the said Act.

Every such objection shall be made to the competent authority, namely, Deputy Collector (Land Acquisition), Surya Prkalp, Dhanu, Thane, Maharashtra in writing and shall set out the grounds thereof, and the competent authority shall give the objector an opportunity of being heard, either in person or by legal practitioner, and may, after hearing all such objections and after making such further enquiry, if any, as the competent authority thinks necessary, by order, either allow or disallow the objections.

Any order made by the competent authority under sub-section (2) of section 20D of the said Act shall be final.

The land plans and other details of the land covered under this notification are available, and can be inspected by the interested person at the aforesaid office of the competent authority.

SCHEDULE

Brief description of land to be acquired with or without structure, for the Special Railway Project, namely, Western Dedicated Freight Corridor in the District of Thane in the State of Maharashtra.

| Serial Number | Name of Taluk | Name of Village | Survey Number | | Area in Hectares |
|---------------|---------------|--------------------|---------------|--------------|------------------|
| | | | Old | New | |
| (1) | (2) | (3) | (4) | (5) | (5) |
| 1. | Kalyan | (1) Juni Dombivali | 100 | 87/6 Part | 0.0230 |
| | | | 100 | 87/7B | 0.0110 |
| | | | 100 | 87/7C | 0.0200 |
| | | | 99 | 65/3 | 0.0330 |
| | | | 99 | 65/5A | 0.0100 |
| | | | 99 | 65/5B Part | 0.0050 |
| | | | 99 | 65/5C Part | 0.0010 |
| | | | 10 | 21/1 | 0.0160 |
| | | | 10 | 21/2A | 0.0120 |
| | | | 64 | 41/1 Part | 0.0230 |
| | | (2) Navagaon | 299 | 206/2 | 0.0300 |
| | | (3) Gaodevi | 360/13 Part | 90/13 Part | 0.0270 |
| | | | 360/28 Part | 90/28 Part | 0.0140 |
| | | | 360/27 Part | 90/27 Part | 0.0130 |
| | | | 360/26 Part | 90/26 Part | 0.0110 |
| | | | 360/18/D Part | 90/18/D Part | 0.0280 |
| | | | 360/19/E Part | 90/19/E Part | 0.0100 |
| | | | 360/19/B Part | 90/19/B Part | 0.0120 |
| | | | 360/20 Part | 90/20 Part | 0.0110 |
| | | | 360/1/B Part | 90/1/B Part | 0.0080 |
| | | | 360/1/A Part | 90/1/A Part | 0.0180 |
| | | | 359/14/8 Part | 1/14/8 Part | 0.0140 |
| | | | 359/14/3 Part | 1/14/3 Part | 0.0070 |
| | | | 359/13/A Part | 1/13/A Part | 0.0340 |
| | | | 359/13/B Part | 1/13/B Part | 0.0170 |
| | | | 15/1 Part | 2/1 Part | 0.0060 |
| | | | 359/22 Part | 1/22 Part | 0.0530 |
| | | | 359/21 Part | 1/21 Part | 0.0200 |
| | | | 359/20 Part | 1/20 Part | 0.0200 |
| | | | 359/3/A Part | 1/3/A Part | 0.0370 |
| | | | 358/20 Part | 5/20 Part | 0.0200 |
| | | | 358/18 Part | 5/18 Part | 0.0010 |
| 2. | Bhivandi | (1) Ovali | 73/4A Part | | 0.0550 |
| | | (2) Rahanal | 119/3 Part/2 | | 0.1230 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|------------|-----------------|-----|--------|
| | | | 119/2 Part /2 | | 0.1180 |
| | | | 105 | | 0.1390 |
| | | | 87/2/1/3 Part | | 0.0690 |
| | | | 87/2/1/ Part 1 | | 0.0860 |
| | | | 112 | | 0.0477 |
| | | | 111 | | 0.0478 |
| | | | 213 | | 0.0109 |
| | | | 114 | | 0.0526 |
| | | (3) Kalwar | 97/19A Part | | 0.4310 |
| | | | 8/1A Part | | 0.0580 |
| | | | 12/1 Part | | 0.0180 |
| | | | 130 Part | | 0.0850 |
| | | | 13 Part | | 0.0060 |
| | | | 45/8/7 Part | | 0.0580 |
| | | | 45/1 A Part | | 0.0820 |
| | | | 45/1 C Part | | |
| | | | 45/2 | | 0.0360 |
| | | | 45/3B Part | | 0.0370 |
| | | | 49/1A | | 0.0720 |
| | | | 49/2A | | 0.0750 |
| | | | 49/3 | | 0.0240 |
| | | | 49/7 Part | | 0.0850 |
| | | | 49/4 Part | | 0.0400 |
| | | | 49/14 Part | | 0.0330 |
| | | | 72/1A Part | | 0.0050 |
| | | | 72/2A Part | | 0.0470 |
| | | | 72/5 A Part | | 0.0180 |
| | | | 50/9 Part | | 0.0140 |
| | | | 71/1 Part | | 0.0310 |
| | | | 72/15A+10A Part | | 0.0570 |
| | | | 72/11A Part | | 0.0220 |
| | | | 83/1+3+2+2 Part | | 0.0070 |
| | | | 83/1+2+2+3 Part | | 0.0210 |
| | | | 83/1+3+2/2 Part | | 0.0390 |
| | | | 83/1/4 Part | | 0.0020 |
| | | | 83/6 Part | | 0.0010 |
| | | | 84/7 Part | | 0.0340 |
| | | | 85/1/1A/1 Part | | 0.0510 |
| | | | 85/1/1B/1 Part | | 0.0060 |
| | | | 85/11 Part | | 0.0100 |
| | | | 85/13 A Part | | 0.0200 |
| | | | 85/14 Part | | 0.0030 |
| | | | 85/2A Part | | 0.0480 |
| | | | 85/8A Part | | 0.0110 |
| | | | 89/1 Part | | 0.0070 |
| | | | 89/2A Part | | 0.0300 |
| | | | 89/4A Part | | 0.0240 |
| | | | 91 A Part | | 0.0090 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-------|-----------------|--------------|-----|--------|
| | | | 93/8 B Part | | 0.0360 |
| | | | 93/12A Part | | 0.0230 |
| | | | 93/13A Part | | 0.0190 |
| | | | 131 Part | | 0.1100 |
| | | | 100/1A Part | | 0.0110 |
| | | | 100/2A Part | | 0.0220 |
| | | | 100/6A Part | | 0.0010 |
| | | | 100/9A Part | | 0.0240 |
| | | | 100/14A Part | | 0.0190 |
| | | | 97/19 A Part | | 0.4310 |
| | | (4) Wadghar | 12/4 Part | | 0.0500 |
| | | | 12/9 Part | | 0.0310 |
| | | | 12/3 Part | | 0.2030 |
| | | | 12/10 Part | | 0.0670 |
| | | | 12/11 Part | | 0.0220 |
| | | | 12/8 Part | | 0.0310 |
| | | | 12/12/1 Part | | 0.0670 |
| | | | 24/7 Part | | 0.0780 |
| | | | 24/8 Part | | 0.0200 |
| | | | 24/9 Part | | 0.0070 |
| | | | 24/1 Part | | 0.0230 |
| | | | 24/16 Part | | 0.0140 |
| | | | 24/17 Part | | 0.0600 |
| | | | 22/2 Part | | 0.0750 |
| | | | 41 Part | | 0.0390 |
| | | (5) Vadunavghar | 303pt | | 0.1245 |
| | | | 302pt | | 0.1503 |
| | | | 305pt | | 0.3045 |
| | | | 18pt | | 0.1244 |
| | | | 20 | | 1.6911 |
| 3. | Vasai | (1) Nagale | 51/1 | | 1.0829 |
| | | | 51/2 | | 0.0913 |
| | | | 51/3 | | 0.0161 |
| | | | 51/4 | | 0.1685 |
| | | | 46/4 | | 0.2370 |
| | | | 44/1 | | 0.0390 |
| | | | 44/3 | | 0.1081 |
| | | | 31/1 | | 0.1443 |
| | | | 31/4 | | 0.1011 |
| | | | 31/5 | | 0.1612 |
| | | | 35/2 | | 0.0815 |
| | | | 35/1/7 | | 0.1686 |
| | | | 35/1/5 | | 0.1645 |
| | | | 35/1/4 | | 0.1046 |
| | | | 36/5 | | 0.0412 |
| | | | 36/2 | | 0.0214 |
| | | | 37 | | 0.4149 |
| | | | 43 | | 0.3148 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|------------------|--------------|--------------|--------|
| | | | 38/6 | | 0.0109 |
| | | | 38/5 | | 0.0929 |
| | | | 38/3 | | 0.2146 |
| | | | 38/4 | | 0.0585 |
| | | | 38/2 | | 0.1663 |
| | | | 38/1 | | 0.0293 |
| | | (2) Shilottar | 4 Part | | 0.0280 |
| | | | 1 Part | | 0.0450 |
| | | | 21 Part | | 0.1560 |
| | | (3) Sasunavaghar | 31/1 Part | | 0.1870 |
| | | | 29 Part | | 0.1320 |
| | | | 29 Part | | 0.2080 |
| | | | 32/2 Part | | 0.3150 |
| | | | 40/1A Part | | 0.7610 |
| | | | 43 Part | | 0.0300 |
| | | (4) Sarajmori | 93/1 Part | | 0.0347 |
| | | | 94/1A Part | | 0.1425 |
| | | | 95/3 Part | | 0.0322 |
| | | | 95/7/1 Part | | 0.0037 |
| | | | 95/10/2 Part | | 0.0111 |
| | | | 97 Part | | 0.2934 |
| | | (5) Mori | 23 Part | | 0.0360 |
| | | | 24/2 Part | | 0.4380 |
| | | | 50 Part | | 0.0020 |
| | | | 47 Part | | 0.0630 |
| | | | 52/3 Part | | 0.0050 |
| | | | 53/2 Part | | 0.0340 |
| | | | 51 Part | | 0.0170 |
| | | | 59/22 Part | | 0.3440 |
| | | | 59/8 Part | | 0.0990 |
| | | | 59/5 Part | | 0.1860 |
| | | | 59/7 Part | | 0.3080 |
| | | | 59/11 Part | | 0.0250 |
| | | | 59/6 Part | | 0.0130 |
| | | | 63 Part | | 0.0420 |
| | | | 64/2 Part | | 0.0630 |
| | | | 64/3Part | | 0.1010 |
| | | | 64/5Part | | 0.2560 |
| | | | 65/2 Part | | 0.0660 |
| | | | 65/3 Part | | 0.2700 |
| | | (6) Juchandra | 406 Part | 14/4 A Part | 0.0580 |
| | | | 404 Part | 17/4 A Part | 0.0600 |
| | | | 405 Part | 16/10/1 Part | 0.0470 |
| | | (7) Chandrapada | 376/1/2 Part | 104/1 Part | 0.0760 |
| | | | 377/5 Part | 103/5 A Part | 0.3060 |
| | | | 378/1 Part | 94/1 Part | 0.0290 |
| | | | 378/1 Part | 94/1 B Part | 0.0890 |
| | | | 378/3 Part | 94/3 Part | 0.1080 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|--------------|------------------|--------------|--------|
| | | | 378/2 Part | 94/2 Part | 0.0330 |
| | | | 379/4/1 Part | 89/4/1 Part | 0.1540 |
| | | | 379/2 Part | 89/2 Part | 0.0190 |
| | | | 379/5/1 Part | 89/5/1 Part | 0.0370 |
| | | | 379/9 Part | 89/9 Part | 0.0150 |
| | | | 379/10 Part | 89/10 Part | 0.0400 |
| | | | 379/7 Part | 89/7 Part | 0.0190 |
| | | | 379/8 Part | 89/8 Part | 0.0460 |
| | | | 368 Part | 88/1 Part | 0.0010 |
| | | | 367/2 Part | 90/2 A Part | 0.2330 |
| | | | 365/1 Part | 83/1 Part | 0.0100 |
| | | | 365/2 Part | 83/2 A Part | 0.0220 |
| | | | 365/6 Part | 83/6 A Part | 0.1140 |
| | | | 370 Part | 73/ A Part | 0.0670 |
| | | | 354/7 Part | 62/7 Part | 0.0160 |
| | | | 354/3 Part | 62/3 A Part | 0.0730 |
| | | | 354/11 Part | 62/11 A Part | 0.1010 |
| | | | 354/9 Part | 62/9 Part | 0.0980 |
| | | | 354/8 Part | 62/8 Part | 0.0630 |
| | | | 354/10 Part | 62/10 Part | 0.0060 |
| | | | 353/4 Part | 63/4 Part | 0.0010 |
| | | | 353/6 Part | 63/6 A Part | 0.1850 |
| | | | 353/7 Part | 63/7 A Part | 0.0150 |
| | | | 525/4 Part | 49/4 A Part | 0.0930 |
| | | | 527 Part | 39/1 Part | 0.0700 |
| | | | 528/1 Part | 40/1 A Part | 0.0120 |
| | | | 513/8 Part | 23/8 A Part | 0.0360 |
| | | | 513/9 Part | 23/9 A Part | 0.0010 |
| | | | 514/15 Part | 24/15 A Part | 0.0250 |
| | | | 514/10 Part | 24/10/1 Part | 0.0210 |
| | | | 514/8 Part | 24/8 Part | 0.0050 |
| | | | 514/9 Part | 24/9 A Part | 0.0260 |
| | | | 456 Part | 189/1/1 Part | 0.0200 |
| | | (8) Shirgaon | 402,272, 268,350 | | 4.0053 |
| | | | 305 | | 1.2212 |
| | | | 304 | | 1.1293 |
| | | | 294 | | 1.1010 |
| | | | 298 | | 0.9798 |
| | | | 303 | | 0.0232 |
| | | | 297 | | 0.7377 |
| | | | 260 | | 0.0511 |
| | | | 252 | | 0.7682 |
| | | | 250 | | 0.6577 |
| | | | 249 | | 0.0162 |
| | | | 291 | | 0.2243 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|-----|----------|-----|--------|
| | | | 247 | | 0.0188 |
| | | | 242 | | 0.0127 |
| | | | 245 | | 0.2641 |
| | | | 268 | | 0.3499 |
| | | | 243 | | 0.3814 |
| | | | 244 | | 0.0332 |
| | | | 243, 240 | | 0.1339 |
| | | | 240 | | 0.3861 |
| | | | 241 | | 0.0210 |
| | | | 239 | | 0.3418 |
| | | | 300 C | | 0.1928 |
| | | | 238 B | | 0.2219 |
| | | | 236 | | 0.3338 |
| | | | 237 | | 0.2011 |
| | | | 233 | | 0.4962 |
| | | | 190 | | 0.6150 |
| | | | 192 | | 0.6035 |
| | | | 194 | | 0.0988 |
| | | | 193 | | 0.3929 |
| | | | 367 | | 0.2032 |
| | | | 182 | | 0.6887 |
| | | | 179 | | 0.4683 |
| | | | 178 | | 0.1251 |
| | | | 176 | | 0.4956 |
| | | | 173 | | 0.2877 |
| | | | 172 | | 0.4508 |
| | | | 406 | | 0.0789 |
| | | | 150 | | 0.7378 |
| | | | 10 | | 0.0119 |
| | | | 409 | | 0.5093 |
| | | | 137 | | 0.3927 |
| | | | 347 | | 0.1488 |
| | | | 135 | | 0.5018 |
| | | | 134 | | 0.0729 |
| | | | 133 | | 0.5371 |
| | | | 132 | | 0.3672 |
| | | | 129 | | 0.8179 |
| | | | 398, 129 | | 0.1561 |
| | | | 322 | | 0.2475 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|---------|---------------------|------------|-----|--------|
| | | | 345 | | 0.1055 |
| | | | 398 | | 1.1885 |
| 4. | Palghar | (1) Wadhiv Saravali | 316 | | 0.0200 |
| | | | 279 | | 0.0010 |
| | | | 280 | | 0.0020 |
| | | | 283 | | 0.0020 |
| | | | 284 | | 0.0010 |
| | | | 285 | | 0.0010 |
| | | (2) Gothanpur | 20 | | 0.0440 |
| | | | 34 | | 0.0940 |
| | | | 39/1 | | 0.2110 |
| | | | 39/2/1 | | |
| | | | 39/2/2 | | |
| | | | 39/2/3 | | |
| | | | 39/2/4 | | |
| | | | 39/2/5 | | |
| | | | 39/3 | | |
| | | | 39/4 | | |
| | | | 39/5 | | |
| | | | 39/6 | | |
| | | | 39/7 | | |
| | | | 39/8/1 | | |
| | | | 39/8/2 | | |
| | | | 39/9 | | |
| | | | 39/10 | | |
| | | | 39/11 Part | | |
| | | | 39/13 | | |
| | | | 39/13 Part | | |
| | | | 39/14 Part | | |
| | | | 39/14 Part | | |
| | | | 39/15 | | |
| | | | 39/16 | | |
| | | | 39/17/1 | | |
| | | | 39/17/2 | | |
| | | | 39/17/3 | | |
| | | | 39/17/4 | | |
| | | | 39/17/5 | | |

2821 GI/11-4

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|--------|-------------------|--------------------|-------|--------|
| | | | 35/1 | | 0.5940 |
| | | | 35/2 | | |
| | | | 35/3/1 | | |
| | | | 35/3 | | |
| | | | 35/4 | | |
| | | | 35/5 | | |
| | | | 35/8 | | |
| | | | 35/9/1 | | |
| | | (3) Birwadi | 63/- | | 0.0625 |
| | | | 52/1 | | 0.0750 |
| | | | 52/2 | | |
| | | | 41/1 | | 0.1050 |
| | | | 41/2 | | |
| | | | 41/3 | | |
| | | | 41/4 | | |
| | | | 41/5 | | |
| | | | 51/- | | 0.0440 |
| | | | 50/1 | | 0.0550 |
| | | | 50/2 | | |
| | | | 48/- | | 0.0170 |
| | | | 113/- | | 0.1970 |
| | | | 114/- | | 0.0530 |
| | | (4) Panchali | 340 | | 0.2594 |
| | | | 341 | | 0.0996 |
| | | | 342/A | | 0.1339 |
| | | | 342/B | | |
| | | | 342/C | | |
| | | (5) Rani Shingaon | 80 | 26 | 0.3570 |
| | | | 79 Part | 22 | 0.1880 |
| | | | 78 Part | 21 | 0.3740 |
| | | | 71/1/1 | 7/1/1 | 0.1940 |
| | | | 71/2 | 7/2 | 0.0120 |
| | | | 71/1/9 | 7/1/9 | 0.0930 |
| | | | 116 | 6 | 0.0820 |
| | | | 69/1 | 5/1 | 0.1160 |
| | | | 110/2 | 63 | 0.2030 |
| | | | 110/3 | 68 | 0.1050 |
| | | | 110/4 | 64 | 0.0740 |
| | | | 109/1 | 55/1 | 0.1120 |
| | | | 109/3 | 55/3 | 0.1620 |
| | | | 109/5 | 55/5 | 0.0870 |
| | | | 108/1 | 53/1 | 0.1280 |
| | | | 108/3 | 53/3 | 0.1630 |
| | | | 108/4 | 53/4 | 0.1780 |
| | | | 108/5 | 53/5 | 0.0940 |
| 5. | Dahanu | (1) Vangaon | 13 | | 0.3619 |
| | | | 12/1 Part | | 0.1814 |
| | | | 8/1, 8/3, 8/5, 8/8 | | 0.2480 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|--------------|---------------|-----|--------|
| | | | 8/7, 8/9 | | 0.0750 |
| | | | 8/2, 8/4, 8/6 | | 0.3075 |
| | | | 82/1 | | 0.0690 |
| | | | 82/2 | | 0.0320 |
| | | | 70/2 | | 0.1030 |
| | | | 92 Part | | 0.1275 |
| | | | 92 Part | | 0.0300 |
| | | | 92 Part | | 0.1484 |
| | | (2) Aagwan | 405 Part | | 0.7500 |
| | | | 400 Part | | 0.4100 |
| | | | 401 Part | | 0.1700 |
| | | | 402 Part | | 0.3220 |
| | | | 404 Part | | 0.0770 |
| | | | 399 Part | | 0.0160 |
| | | | 392/2 Part | | 0.1350 |
| | | | 392/3 Part | | 0.3140 |
| | | | 398 Part | | 0.3350 |
| | | | 395 Part | | 0.1280 |
| | | | 396 | | 0.0200 |
| | | | 389 Part | | 0.2580 |
| | | | 390 Part | | 0.1390 |
| | | | 388 Part | | 0.0500 |
| | | | 382 Part | | 0.2890 |
| | | | 381 Part | | 0.4050 |
| | | | 380 Part | | 0.4510 |
| | | | 379 Part | | 0.1730 |
| | | | 316 Part | | 1.5430 |
| | | | 316 Part | | 0.0340 |
| | | (3) Saravali | 19/1 | | 0.1930 |
| | | | 19/1/2 | | 0.2106 |
| | | | 19/1/3 | | 1.3380 |
| | | | 19/1/4 | | |
| | | | 19/3/1 | | 0.6040 |
| | | | 19/3/2 | | 0.3150 |
| | | | 29/4 | | 0.0080 |
| | | | 30/1 | | 0.0180 |
| | | | 30/2 | | 0.0890 |
| | | | 30/6 | | 0.2890 |
| | | | 30/1/4 | | 0.2090 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|----------------|---------|-----|--------|
| | | | 31/1 | | 0.1020 |
| | | | 31/2 | | 0.3660 |
| | | | 31/3 | | 0.1020 |
| | | | 17/11 | | 0.0290 |
| | | | 17/7 | | 0.0410 |
| | | | 17/2 | | 0.0210 |
| | | | 18/1 | | 0.1240 |
| | | | 18/2 | | 0.2120 |
| | | | 18/8 | | 0.0260 |
| | | | 18/5 | | 0.3950 |
| | | | 18/7 | | 0.0230 |
| | | | 7 | | 2.1680 |
| | | | 8 | | 0.0070 |
| | | | 6 | | 0.9870 |
| | | | 6 | | 1.8350 |
| | | | 6 Part | | |
| | | | 99 | | 0.2130 |
| | | | 98 | | 0.0650 |
| | | | 100 | | 0.8140 |
| | | | 102/1 | | 0.1100 |
| | | | 102/2 | | |
| | | | 102/3 | | |
| | | | 103 | | 0.1680 |
| | | | 90/17 | | 0.8850 |
| | | | 90/12 | | |
| | | | 90/10 | | |
| | | | 90/8 | | |
| | | | 90/11 | | |
| | | | 90/15 | | |
| | | | 90/16 | | |
| | | | 90/18 | | |
| | | | 90/9 | | |
| | | | 90/13 | | |
| | | (4) Patii Pada | 47 | | 0.3090 |
| | | | 48 | | 0.1150 |
| | | | 51/1/5 | | 0.2300 |
| | | | 51/1/25 | | 0.1750 |
| | | | 51/1/22 | | 0.1430 |
| | | | 51/1/24 | | 0.3890 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|-----------------|-----------|-----|--------|
| | | | 51/1 | | 0.7830 |
| | | | 51/2 | | 0.2400 |
| | | | 51/3 | | 1.6800 |
| | | | 51/4 | | 0.0750 |
| | | | 51/1 | | 0.0060 |
| | | | 52/1 | | 0.2790 |
| | | | 52/2 | | 0.2570 |
| | | | 52/5 | | 0.6180 |
| | | | 52/4/1 | | 0.5250 |
| | | | 52/3 | | 0.4760 |
| | | | 52/2 | | 0.8590 |
| | | | 54/1 | | 0.0960 |
| | | | 54/3 | | 1.7640 |
| | | | 55/1 Part | | 0.1410 |
| | | | 54/3 | | 0.0070 |
| | | (5) Manfod | 14/2 | | 0.2040 |
| | | | 14/1 | | 0.0550 |
| | | (6) Junnar Pada | 143 Part | | 0.1280 |
| | | | 143 Part | | 0.0087 |
| | | | 1+5 | | 0.2370 |
| | | | 14 | | 0.6320 |
| | | | 14/1A | | 0.0495 |
| | | | 143 Part | | 0.9280 |
| | | | 136 | | 0.2560 |
| | | | 135/5 | | 0.7110 |
| | | | 29/1 | | |
| | | | 29 | | 1.5370 |
| | | | 29/1/9 | | |
| | | | 29/1 Part | | |
| | | | 29/1 Part | | |
| | | | 29/1 Part | | |
| | | | 28/2 | | 0.0760 |
| | | | 21/1 | | 0.0060 |
| | | | 21/2 | | 0.0250 |
| | | | 25/1/1 | | 2.7610 |
| | | | 25/1/14 | | |
| | | | 25/1/3 | | |
| | | | 25/1/1 | | |
| | | | 27/6 | | 0.0936 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|-------------|------------|-----|--------|
| | | | 27/5 | | 0.0044 |
| | | (7) Nandore | 19 | | 0.1160 |
| | | | 21 | | 0.0010 |
| | | | 20 | | 0.0260 |
| | | | 18 | | 0.1800 |
| | | | 17 | | 0.4060 |
| | | | 15 | | 0.0830 |
| | | | 14 | | 0.2040 |
| | | | 13 | | 0.0870 |
| | | | 12 | | 0.0840 |
| | | | 36/1 | | 1.2010 |
| | | | 8 | | 0.5350 |
| | | | 7 | | 0.2010 |
| | | | 57 | | 0.0120 |
| | | | 60 | | 0.5180 |
| | | | 6 | | 0.1460 |
| | | | 5 | | 0.1350 |
| | | | 61 | | 0.4370 |
| | | | 59 | | 0.0080 |
| | | | 1/1 | | 0.6120 |
| | | | 4 | | 0.0170 |
| | | (8) Dahanu | 134/4/1 | | 0.4300 |
| | | | 134/4/2 | | 0.0820 |
| | | (9) Kasara | 194 Part | | 0.1100 |
| | | | 192 Part | | 0.7710 |
| | | | 193 Part | | 0.3600 |
| | | | 190 Part | | 0.1280 |
| | | | 191 Part | | 0.5500 |
| | | | 180 Part | | 0.6800 |
| | | | 174 Part | | 0.1500 |
| | | | 177 Part | | 0.3320 |
| | | | 178 Part | | 0.0360 |
| | | | 176 Part | | 0.0150 |
| | | | 175 Part | | 0.0260 |
| | | | 124 Part | | 0.0250 |
| | | | 120 Part | | 0.0320 |
| | | | 118 Part | | 0.0780 |
| | | | 118/2 Part | | 0.2670 |
| | | | 119 | | 0.2320 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|-----|--------------|-----|--------|
| | | | 122 | | 0.0500 |
| | | | 121 Part | | 0.5000 |
| | | | 122 Part | | 0.0050 |
| | | | 99/A Part | | 0.0770 |
| | | | 99/B/1 Part | | 0.4530 |
| | | | 99/C/2 Part | | 0.1810 |
| | | | 99/D/3 Part | | 0.0700 |
| | | | 103 Part | | 0.1010 |
| | | | 111 Part | | 0.0360 |
| | | | 104 Part | | 0.1300 |
| | | | 102 Part | | 0.1040 |
| | | | 101 Part | | 0.0870 |
| | | | 100 Part | | 0.3860 |
| | | | 107 Part | | 0.0150 |
| | | | 105 Part | | 0.2590 |
| | | | 98 | | 0.1400 |
| | | | 97 Part | | 0.0920 |
| | | | 278 | | 0.5300 |
| | | | 92 Part | | 0.0200 |
| | | | 94 Part | | 0.0770 |
| | | | 91 Part | | 0.2000 |
| | | | 90 | | 0.2200 |
| | | | 280 Part | | 0.0630 |
| | | | 89 Part | | 0.2000 |
| | | | 81 | | 0.0900 |
| | | | 88 Part | | 0.1930 |
| | | | 82 Part | | 0.1990 |
| | | | 83 | | 0.1320 |
| | | | 70/1/1A | | 0.2300 |
| | | | 70/1/2B Part | | 0.0450 |
| | | | 84 Part | | 0.1410 |
| | | | 85 Part | | 0.0370 |
| | | | 68 Part | | 0.0230 |
| | | | 69 Part | | 0.1980 |
| | | | 66 Part | | 0.1470 |
| | | | 67 Part | | 0.2270 |
| | | | 296 Part | | 0.2550 |
| | | | 30 Part | | 0.1800 |
| | | | 5 Part | | 0.3620 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|-----------|-------------|-----|--------|
| | | | 6 Part | | 0.0760 |
| | | | 28 Part | | 0.0320 |
| | | | 27 Part | | 0.0770 |
| | | | 25 Part | | 0.0200 |
| | | | 26 | | 0.0800 |
| | | | 16 Part | | 0.2070 |
| | | | 15 Part | | 0.0170 |
| | | | 14 Part | | 0.2460 |
| | | | 18 Part | | 0.0300 |
| | | | 17 Part | | 0.1550 |
| | | | 2 Part | | 0.2130 |
| | | | 1 Part | | 0.1430 |
| | | | 31 Part | | 0.1890 |
| | | | 3 | | 0.1870 |
| | | | 4 Part | | 0.2190 |
| | | (10) Waki | 446/A | | 0.0980 |
| | | | 450/E Part | | 0.1110 |
| | | | 449/E Part | | 0.0670 |
| | | | 440/A | | 0.6540 |
| | | | 440/A Part | | 0.0900 |
| | | | 440/B Part | | 0.1200 |
| | | | 440/A Part | | 0.3460 |
| | | | 445/A Part | | 0.8460 |
| | | | 445/A Part | | 0.1660 |
| | | | 442/A Part | | 0.0670 |
| | | | 407 Part | | 0.6130 |
| | | | 406/A Part | | 0.2200 |
| | | | 372/A Part | | 0.0390 |
| | | | 403/A Part | | 0.5040 |
| | | | 422/E Part | | 0.0070 |
| | | | 409/E Part | | 0.0200 |
| | | | 408/E Part | | 0.0150 |
| | | | 410/E Part | | 0.0330 |
| | | | 411/E Part | | 0.0030 |
| | | | 401/ E Part | | 0.3790 |
| | | | 399/E Part | | 0.3980 |
| | | | 399/E Part | | 0.1230 |
| | | | 399/E Part | | 0.0700 |
| | | | 399/E Part | | 0.0850 |

| (1) | (2) | (3) | (4) | (5) | (5) |
|-----|-----|---------------|-------------|-----|--------|
| | | | 399 Part | | 0.0510 |
| | | | 399 Part | | 0.1100 |
| | | | 385/E Part | | 0.0360 |
| | | | 189/A Part | | 0.1370 |
| | | | 187/E Part | | 1.1900 |
| | | | 188/E Part | | 0.0230 |
| | | (11) Ambewadi | 40/1/1 | | 0.1850 |
| | | | 43 | | 0.0700 |
| | | | 44 | | 0.0600 |
| | | | 45 | | 0.1060 |
| | | | 46 | | 0.0650 |
| | | | 50 | | 0.0870 |
| | | | 59 | | 0.0840 |
| | | | 61 | | 0.6380 |
| | | | 72/9/1 | | 0.0880 |
| | | | 72/9/1/1 | | 0.2340 |
| | | | 72/9/1/3 | | 0.1250 |
| | | | 73/10/2/1 | | 0.3280 |
| | | | 77/1/2 | | 0.1100 |
| | | | 77/1/3 | | 0.2590 |
| | | | 77/1/4, 1/6 | | 0.1210 |
| | | | 77/1/1 | | 0.4180 |
| | | | 77/4 | | 0.8370 |
| | | | 75/4 | | 0.3550 |
| | | | 75/6/2/1 | | 0.1290 |
| | | | 75/6/2/2 | | 0.0670 |
| | | | 75/6/2/3 | | 0.1980 |
| | | | 75/6/2/4 | | 0.1140 |
| | | | 75/6/1 | | 0.1020 |

[F. No. 2010/LML/12/4-Western Corridor]

JAGDIP RAI, Executive Director (Land and Amenities-1)